



VIKING CUBES FRAMES (INSULATED)

MODULAR SYSTEM

The architectural design of these cubes consists of a modern style with natural wood beauty. The ability to choose large display windows gives you a fantastic panoramic view and natural light inside. In the design of these products, we combine traditional materials with state-of-the-art technology to provide comfortable and light-filled spaces. The exterior from spruce wood and the finished coating look beautiful in their natural environment. Inside a wide range of interiors is available - there may be everything you want. For one - a relaxing space or a home office; for others, there is a gym, studio, or games room. Each Viking cube is built by an experienced team and the purpose of the cube can be customized to suit your individual needs. All you have to do is decide what you want!



PRODUCT DESCRIPTION

FRAMES (insulated)

Insulated Garden cube frame from spruce: insulated floor and roof panels, 4 columns. Insulation - stone wool (50 mm). The frames are made from glue-laminated spruce beams. The frame consists of a bottom frame (100 x 140 mm), columns (140 x 140 mm), and a top frame (140 x 200 mm). The floor is made of a 146 x 28 mm floorboard. The floor and roof of our cubes are all insulated to lower energy costs.

We use stone wool to insulate our cubes for these reasons: fire resilience, thermal properties, acoustic capabilities, durability, aesthetics, water properties, and circularity.

FRAME DESIGN. Self-standing and modular system cube specifications

- TOP FRAME 140 x 200 mm
- COLUMNS 140 x 140 mm
- BOTTOM FRAME 100 x 140 mm
- FLOOR 146 x 28 mm floorboards
- INSULATION 50 mm stone wool

AVAILABLE CUBE FRAME SIZES:

- CUBE FRAME 2 x 2 m. Frame 2286 x 2286 (4 m²) from spruce: insulated floor, columns, and insulated roof.
- CUBE FRAME 2 x 3 m. Frame 2286 x 3286 (6 m²) from spruce: insulated floor, columns, and insulated roof.
- CUBE FRAME 2 x 4 m. Frame 2286 x 4286 (8 m²) from spruce: insulated floor, columns, and insulated roof.
- CUBE FRAME 3 x 3 m. Frame 3286 x 3286 (9 m²) from spruce: insulated floor, columns, and insulated roof.
- CUBE FRAME 3 x 4 m. Frame 3286 x 4286 (12 m²) from spruce: insulated floor, columns, and insulated roof.

Several cubes can be interconnected.



SPECIFICATION

People	2-3 persons
Timber	Spruce
Room	1
Total height	2900 mm
Floor thickness	28 mm
Insulation	50 mm stone wool

STANDARD SET

Garden cube frame from spruce: floor and roof panels, 4 columns.

Insulation - stone wool (50 mm).

The frames are made from glue laminated spruce beams.

Frame consists of bottom frame (100 x 140 mm), columns (140 x 140 mm), top frame (140 x 200 mm).

Roof panels with self-adhesive bitumen membrane.

The floor is made of 146 x 28 mm floor board.

Built with 45 x 95 mm joists.

DELIVERY

Size of the cargo (L x W x H): not assembled products on pallets ready for transportation:

- CUBE FRAME 2 x 2 m: 2.60 x 1.20 x 2.60 m.
- CUBE FRAME 2 x 3 m: 3.40 x 1.20 x 2.60 m.
- CUBE FRAME 2 x 4 m: 4.40 x 1.20 x 2.60 m.
- CUBE FRAME 3 x 3 m: 3.40 x 1.20 x 2.60 m.
- CUBE FRAME 3 x 4 m: 4.40 x 1.20 x 2.60 m.

DRAWINGS

VIKING CUBES

ELEMENTS | FRAMES

Insulated Garden cube frame from spruce: insulated floor and roof panels, 4 columns. Insulation - stone wool (50 mm). The frames are made from glue-laminated spruce beams. the frame consists of a bottom frame (100 x 140 mm), columns (140 x 140 mm), and a top frame (140 x 200 mm). The floor is made of a 146 x 28 mm floorboard.

The floor and roof of our cubes are all insulated to lower energy costs.

We use stone wool to insulate our cubes for these reasons: fire resilience, thermal properties, acoustic capabilities, durability, aesthetics, water properties, and circularity.

We use MIDA SELF KSK for the roof covering, its self-adhesive elastomeric bitumen membrane covering the entire surface. Installation of the rolled roofing is a quick, simple, and safe way to cover all Cube. All you must do is unroll, attach with nails, remove the protective film, and press.

FRAME DESIGN

Self standing and modular system



INSULATED CUBE FRAME 2x2



Frame 2286 x 2286 mm (4 m²) from spruce: insulated floor, columns, and insulated roof.
Insulated floor and roof

INSULATED CUBE FRAME 2x3



Frame 2286 x 3286 mm (6 m²) from spruce: insulated floor, columns, and insulated roof.
Insulated floor and roof

INSULATED CUBE FRAME 2x4



Frame 2286 x 4286 mm (8 m²) from spruce: insulated floor, columns, and insulated roof.
Insulated floor and roof

INSULATED CUBE FRAME 3x3



Frame 3286 x 3286 mm (9 m²) from spruce: insulated floor, columns, and insulated roof.
Insulated floor and roof

INSULATED CUBE FRAME 3x4




Frame 3286 x 4286 mm (12 m²) from spruce: insulated floor, columns, and insulated roof.
Insulated floor and roof

PAINTING


COLOR CARD

EXTERIOR WOOD STAIN COLORS

Water-based, quick drying premium total protection for wood outside.
Thin layer varnish – 3 in 1: impregnation, primer, and varnish!




PINE / LARCH RC260




TEAK RC545




CHESTNUT RC555



FIR GREEN RC960




MAHAGONY RC565



PALISANDER RC720




SILVER GREY RC970



NUT WOOD RC660



PINE RC270



RUSTIC OAK RC360




LIGHT OAK RC365




HEMLOCK RC120



WHITE RC990



EBONY RC790



SALT GREEN RC965


PLEASE NOTE: The colors shown in the catalogue and website may not 100% match the color you will receive.
The color of the wood material affects the final color.

PAINTING

COLOR CARD

EXTERIOR WOOD PAINT COLORS


Weather protection, water-based paints. High-performance and environmentally friendly.



WHITE / RAL 9016




ANTRACITE GREY / RAL 7016



LIGHT GREY / RAL 7035



DUSTY GREY / RAL 7037



OXIDE RED / RAL 3009



JET BLACK / RAL 9005



MOSS GREEN / RAL 6005



AZURE BLUE / RAL 5009



GREY BROWN / RAL 8019



BROWN RED / RAL 3011

PLEASE NOTE: The colors shown in the catalogue and website may not 100% match the color you will receive. The color of the wood material affects the final color.

PAINTING

AUTOMATIC MACHINE SPRAY TECHNOLOGY

Benefits

One of the main and most obvious benefits of using a paint machine is the speed and flexibility at which we can suggest our painting service for all of our products. A spray paint machine can get the work done faster and more consistently than manually painting. While the machine works faster, it improves quality too – sprayers produce an even coat of paint, leaving a high-quality finish.

With our painting service from now, we can suggest to our client maximum flexibility! Not assembled products such as Grill cabins, Pavilions, Camping pods, and other products of any size you can order painted too!

PROFESSIONAL SPRAY

The high-quality preservative finish is professionally spray applied in the factory to three sides of the wood. The product is treated in your choice of color. You can choose two colors for one product: one for almost all product details and another for finishing details.

STAIN | PAINT

Which type of paint should I Use?

Properly painting and impregnating is one of the most important things to consider when thinking about how to extend your product's lifetime.

Paint and natural wood finish instantly spruce up the aesthetics of your product.

The decision you will need to make is if you want to use a water-based wood stain or paint. Both will offer you UV protection. The wood stains will allow the texture of the wood to show through and many are now available in a vast range of colors, however, paints will give you an intensive color, but will cover the grain and texture of the wood.

USAGE AND MAINTENANCE

Things to note when using the product:

- Products that are used for staying overnight should be equipped with a smoke alarm and an extinguisher;
- The product owner is responsible for the security and should work out a rescue plan for the camping site;
- Remember that using heating appliances or temporary camping stoves isn't just a fire risk, but a risk of carbon monoxide poisoning as well.

MAINTENANCE. You should not forget that wood is a natural material, it changes move depending on weather conditions. Large and small cracks, color tone differences and changes, as well as a changing structure of wood are not errors, but a result of wood growing and a feature of wood as a natural material. Natural wood (not impregnated) becomes greyish after having been left untouched for a while and can be turned blue and become mouldy. You should immediately process them with wood impregnations to protect the wooden details of our produced products.

- Like any our product, our produced furniture's needs to be looked after and processed with a wood impregnation agent or painted if you want it to last for years. Regular cleaning of your furniture is necessary to prevent mould. General warm soapy water is enough if done regularly;
- If necessary, outside doors must be adjusted by the customer;
- If you do not use your Product often we highly recommend to use the installation of our vent to stop condensation;
- If you find a sap pocket open during the life of your Product - you can allow it to dry naturally and then cut the sap off with a blade.



Misko 25, LT-85302 Venta, Lithuania
info@vikingindustrier.com